




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ³ : B26B 19/44; C14B 19/00	A1	(11) International Publication Number: WO 83/ 02583
		(43) International Publication Date: 4 August 1983 (04.08.83)
<p>(21) International Application Number: PCT/EP83/00016</p> <p>(22) International Filing Date: 18 January 1983 (18.01.83)</p> <p>(31) Priority Application Number: 8200262</p> <p>(32) Priority Date: 25 January 1982 (25.01.82)</p> <p>(33) Priority Country: NL</p> <p>(71)(72) Applicant and Inventor: YASSIN, Mahmoud, Ahmad [JO/NL]; 127, Topaasstraat, NL-6534 ZM Nymegen (NL).</p> <p>(74) Agent: SIEMENS, Andreas, Meinhard, Ernest; 8, Roskam, P.O.B. 9549, NL-4813 GZ Breda (NL).</p> <p>(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), DK, FR (European patent), GB (European patent), JP, LU (European patent), NO, SE (European patent), US.</p>		<p>Published <i>With international search report.</i></p>

(54) Title: A DEVICE FOR CUTTING HAIR AND SHEARING FURS, FLEECES AND CARPETS

(57) Abstract

A device for cutting hair of humans and animals as well as for shearing furs, fleeces and carpets, which comprises a tube (1) widening at one end (2) and provided at the other end with a housing (3) comprising blades (4) sliding in a horizontal way, the desired hair length being adjustable by a calibrating device (6), the device to be coupled with an air suction means (8).



-3-

can turn easily and freely.

If the shape of the upperside of the propellor knife is equal to the lowerside and both edges of the blades are sharpened, then the propellor knife can be used again after a long period of use by turning it upside

5 down so that a replacement of new blades will not be necessary.

If this propellor type is chosen for the device, different types of tubes can be used for the manufacture of this device.

The rotation of this propellor knife can be effected preferably by the power of the sucked air, but it can also be obtained by hand or by electro-
10 motor.

The voltage of the electro-motor can be 6V or 12V.

Still another shape of blade is the drumform.

It is an advantage of using such a knife in the haircutting device, because when the airsucking apparatus is switched on, the drumform knife
15 will start turning immediately with the same speed of an electromotor; this means: there is no need for an electro-motor or vibrator, and the device will be lighter.

Figure 5 shows a possible shape of the haircutting device according to this embodiment.

20 Figure 6 shows how the blades are put together as a drumform.

Figure 7 is a side section view of one of the blades, it shows how the blades are bending and how the blades' edges can be whetted.

The number of blades of this embodiment of a drumformed device is arbitrary.

25 The diameter of the drumform circle is a few millimeters less than the diameter of the circle of the housing.

The drumformed knife must rotate easily and freely in the housing with a minimum of rubbing.

For a short haircut a scalp protector (of wire or plastic) might be
30 placed in the housing below the drumform knife unless a safe distance between the knife and the scalp is provided.

If this type of knife is chosen for the device the most suitable adjusting tubes can also be used, and other shapes of tubes can be used provided that the lower mouth of the housing has a round shape only.

35 The rotation of this drumformed knife can be effected preferably by sucked air but it can also be obtained by hand or electro-motor.

Rotating plain blades can also be applied.

Several shapes of tubes can be used.

A telescope shape of tube is a preferable embodiment of the device accor-



ding to the invention.

The telescope tube can exist in round shape or in square shape.

Figure 8 shows the calibrator (6), the screw (7), the part of the wire with screw thread (9), the wire (10), the parts of the telescope tube

5 -like bracelets- which fit exactly into each other (1).

Adjusting the length of the telescope tube can be done by loosening the screw (7) pulling the screw up or pushing it down, until the desired length is reached and then fastening the screw again.

Another shape is the foldable tube.

10 This foldable tube can be made of rubber or plastic and in such a way, that it will be easy to push it in and to pull it out, for making the tube shorter or longer.

Adjusting the length of the foldable tube can be done by loosening the screw, then pulling the tube up or pushing it down until the desired

15 length is reached, and fastening the screw.

A spring can be used to stretch the tube.

With such devices the following advantages can be reached:

1. Equability of length of hair.
2. No hair on floor.
- 20 3. Reproducible adjustment of length of hair.
4. The saving of working-hours.
5. Avoidance of mistakes and/or irregularities.
6. Useful for professional as well as for domestic applications.
7. A simple and easy construction for maintenance and cleansing.
- 25 For the work with the device according to the invention the desired hairlength will be adjusted by the calibration with the aid of an adjusting screw.

Then the drive of the sliding knives is connected.

Then regularly the widened end of the tube is passed over the hair and
30 so the desired surface is treated.

If desired one part can be treated in this way and for the treatment of another part another adjustment of the calibration with the adjusting screw can be selected.

On the hose, which is connected with the air suction (vacuum-cleaner) a
35 bag or reservoir will be attached, in which the cut hair is collected.
It is recommended first to wet curly hair or to stretch by means of a hairdrier.

The tube which has a widened end and which will be moved over the surface of hair to cut, is a flexible tube, which can be made for example of a

plastic, or a light metal.

It can exist of various parts, which fit exactly into each other in length so that it can be suited for shorter and longer distance from the surface to be treated.

- 5 The tube is preferably completely or partly of transparent plastic, so that the hair during the cutting can be observed.

The mouth of the widened hose is provided of half circular or scallop shape savings, so that the hair with the air in the tube can easily be sucked, if it will be softly pushed up on the head or the surface.

- 10 The knives are moved in a horizontal direction over a set of fixed knives of similar form and dimension.

The cleft has to be sufficient so that the sucked air can pass.
(for example abt. 7 mm).

- 15 The motor for the knives can be a small alternating current motor or a vibrator, which works on 6 or 12V, connected on a transformer, which can be placed on the power end of the wire.

The electric wire is placed in the plastic hose.

The housing is provided with a grip.

The instruments can be provided with a suspension tool.

- 20 It is also possible to furnish the device according to the invention with a battery-cell accumulator with interrupter, so that without outer power connection of the net it can be put into working.

The hose, which is fixed above the housing with the knives, is preferably of light transparent or translucent plastic, and it has to be flexible

- 25 and long enough, such that it can be bended in a manner that the cut hair can be easily sucked away, and the tool can be fixed at the wall.

The device according to the said invention is illustrated by the attached figures; examples are given of production type shapes.

The invention is not limited to the represented example shapes.

- 30 Also the sizes can be different, depending on the goal for putting it into practice.

In the attached figure 1, which gives a systematic view of a device according to the invention, the tube: (1) is shown with the widened end with scalloped edge (2), the housing (3) with blades, motor or vibrator (4),
35 grip (5), the calibration (6) with adjusting screw (7), and the sucking hose (8).

In figure 2 a view of the knives is shown.

Figure 3 shows the connection at the hose (8).

Figure 4 shows the propellor blade shape of knife.



Figure 5 shows the drumform of shape of the knife blades.

Figure 6 shows the arrangement of blades in drumform.

Figure 7 shows a side section of one of the blades.

Figure 8 shows the telescopic type of tube.

Claims:

1. A device for the treatment of cutting hair of humans or animals or for the treatment of fleeces and textile materials, characterized in that said device comprises a tube, which widens to one end, provided at the other end with a lath of rectangular or rotating knife blades horizontally sliding over each other, or over a grid, with electric drive in a housing, the desired hair length being adjustable by the distance between the end of the tube and the knives with an adjusting screw and a calibrating device, and further in top of the knife blades sliding over each other a flexible hose at said housing is coupled by screw thread or snap closure, said hose being connected at an air suction.
2. A device for the treatment of hair cutting with electrically or hand driven blades, characterized in a tube (1) with a scalloped edge (2), connected with a housing (3) in which movable blades, sliding over each other or rotating, are put.
3. A method for cutting hair, fleece or fabric pile, characterized in that a device according to claim 1 is being used.
4. A product of hair, fibre or textile fabric, treated according to claim 3.
5. A device for the treatment of hair cutting, substantially as described.




FIG. 1




FIG. 2




FIG. 3

2/3




FIG. 4




FIG. 5




FIG. 6

3/3




FIG. 7




FIG. 8

INTERNATIONAL SEARCH REPORT

International Application No. PCT/EP 83/00016

I. CLASSIFICATION OF SUBJECT MATTER (If several classification symbols apply, indicate all) ¹ According to International Patent Classification (IPC) or to both National Classification and IPC IPC ³ : B 26 B 19/44; C 14 B 19/00														
II. FIELDS SEARCHED <div style="text-align: center;">Minimum Documentation Searched ⁴</div> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; border: none;">Classification System</td> <td style="border: none;">Classification Symbols</td> </tr> <tr> <td style="border: none; vertical-align: top;">IPC³</td> <td style="border: none; vertical-align: top;">B 26 B; C 14 B</td> </tr> </table> <div style="text-align: center; padding-top: 10px;">Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁴</div>			Classification System	Classification Symbols	IPC ³	B 26 B; C 14 B								
Classification System	Classification Symbols													
IPC ³	B 26 B; C 14 B													
III. DOCUMENTS CONSIDERED TO BE RELEVANT ¹⁴ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Category ⁵</th> <th style="width: 70%;">Citation of Document, ¹⁶ with Indication, where appropriate, of the relevant passages ¹⁷</th> <th style="width: 20%;">Relevant to Claim No. ¹⁸</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>FR, A, 2395114 (KANAZAWA) 19 January 1979 see the entire document ---</td> <td style="text-align: center; vertical-align: top;">1-3</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>FR, A, 2400414 (BOYER) 16 March 1979 see the entire document ---</td> <td style="text-align: center; vertical-align: top;">1-3</td> </tr> <tr> <td style="text-align: center; vertical-align: top;">X</td> <td>FR, A, 2467063 (RECCHIA + BEROLDY) 17 April 1981 see the entire document -----</td> <td style="text-align: center; vertical-align: top;">1-3</td> </tr> </tbody> </table>			Category ⁵	Citation of Document, ¹⁶ with Indication, where appropriate, of the relevant passages ¹⁷	Relevant to Claim No. ¹⁸	X	FR, A, 2395114 (KANAZAWA) 19 January 1979 see the entire document ---	1-3	X	FR, A, 2400414 (BOYER) 16 March 1979 see the entire document ---	1-3	X	FR, A, 2467063 (RECCHIA + BEROLDY) 17 April 1981 see the entire document -----	1-3
Category ⁵	Citation of Document, ¹⁶ with Indication, where appropriate, of the relevant passages ¹⁷	Relevant to Claim No. ¹⁸												
X	FR, A, 2395114 (KANAZAWA) 19 January 1979 see the entire document ---	1-3												
X	FR, A, 2400414 (BOYER) 16 March 1979 see the entire document ---	1-3												
X	FR, A, 2467063 (RECCHIA + BEROLDY) 17 April 1981 see the entire document -----	1-3												
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>[*] Special categories of cited documents: ¹⁶</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </div> <div style="width: 45%;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </div> </div>														
IV. CERTIFICATION <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; border: none; vertical-align: top;"> Date of the Actual Completion of the International Search ³ <div style="text-align: center; padding-top: 10px;">7th April 1983</div> </td> <td style="width: 50%; border: none; vertical-align: top;"> Date of Mailing of this International Search Report ³ <div style="text-align: center; padding-top: 10px;">25 APR 1983</div> </td> </tr> <tr> <td style="border: none; vertical-align: top;"> International Searching Authority ¹ <div style="text-align: center; padding-top: 10px;">EUROPEAN PATENT OFFICE</div> </td> <td style="border: none; vertical-align: top;"> Signature of Authorized Officer ¹⁹ <div style="text-align: center; padding-top: 10px;">M. VAN NUL </div> </td> </tr> </table>			Date of the Actual Completion of the International Search ³ <div style="text-align: center; padding-top: 10px;">7th April 1983</div>	Date of Mailing of this International Search Report ³ <div style="text-align: center; padding-top: 10px;">25 APR 1983</div>	International Searching Authority ¹ <div style="text-align: center; padding-top: 10px;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer ¹⁹ <div style="text-align: center; padding-top: 10px;">M. VAN NUL </div>								
Date of the Actual Completion of the International Search ³ <div style="text-align: center; padding-top: 10px;">7th April 1983</div>	Date of Mailing of this International Search Report ³ <div style="text-align: center; padding-top: 10px;">25 APR 1983</div>													
International Searching Authority ¹ <div style="text-align: center; padding-top: 10px;">EUROPEAN PATENT OFFICE</div>	Signature of Authorized Officer ¹⁹ <div style="text-align: center; padding-top: 10px;">M. VAN NUL </div>													

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.